Research Square

Preprints are preliminary reports that have not undergone peer review.
They should not be considered conclusive, used to inform clinical practice,
or referenced by the media as validated information.

Olympic Medal Prediction Using Linear Regression and Data Analytics

Kuldeep Vayadande

kuldeep.vayadande@gmail.com

Vishwakarma Institute of Technology

Aishwarya Kalshetti

Vishwakarma Institute of Technology

Tanvi Kelzarkar

Vishwakarma Institute of Technology

Vedant Kharche

Vishwakarma Institute of Technology

Swapnil Koli

Vishwakarma Institute of Technology

Radhesh Nalwade

Vishwakarma Institute of Technology

Research Article

Keywords: Olympic Data Analysis, Medal Tally, Athlete Participation, Sports Strategy, Data-Driven Insights

Posted Date: July 1st, 2025

DOI: https://doi.org/10.21203/rs.3.rs-6353823/v1

License: This work is licensed under a Creative Commons Attribution 4.0 International License.
Read Full License

Additional Declarations: No competing interests reported.

Abstract

The Olympic Medal Prediction research utilizes machine learning techniques and historical data to estimate how many medals a country could win in an upcoming Olympic event. The research looks into those factors critical to success at the Olympics, such as the number of athletes, past medals, age information, as well as other demographic or performance indicators. Data preparation includes cleaning the dataset, imputing missing values, and correlation analysis to understand which predictor variables are correlated with medal counts. With Python and scikit-learn, a linear regression was implemented and trained using historical data up to 2019. It resulted in a MAE of 5.2 medals and a RMSE of 7.8, with an R^2 score of 0.82 during validation, strongly suggesting capability for prediction. The precision and recall were put at 87% and 84%, respectively, signifying reliability. An exploratory analysis, encompassing scatter plots and correlation matrices, confirmed the importance of predictors, improving accuracy and interpretability. Testing and validation pinpointed particular aspects that needed be carried out, like perfecting predictors and also including other socio-economic or geographic variables. Outcomes of the model were tested and verified with authentic medal counts against predictions, and country-wise differences provided useful info. For example, they were almost 90% accurate for the developed nations while somewhat less for the smaller or under represented countries. It is a good basis for further research and analysis by many researchers and analysts interested in Olympic performance factors. Further experiments could include working with more complex algorithms like Random Forest or Gradient Boosting while adding consideration of far more detailed socio-economic features and temporal trends for increased accuracy and applicability.

INTRODUCTION

The Olympics are a very prestigious international sporting competition, with competitors from more than 200 countries taking part in numerous competitions. Since their rebirth in modern form in 1896, the Olympics have taken dramatic shape symbolizing excellence, competition, and international unity. Nations invest enormous resources to train and promote athletes, and they are competing for recognition as global sporting powers. In many instances, the number of medals won will closely relate to the level of athletic development and infrastructures, as well as to some extent its socio-political and economic standing. Consequently, understanding and predicting the outcomes over Olympic medals has become an exciting field of inquiry that gives insights into the drivers of sporting success and informs strategic plans for future competitions[1]. Olympic medal count forecasts are not an easy task because they involve many intangible factors that will influence the results. For decades, scientists and sports analysts tried to put their hands on the challenge by developing models that predict based on past and socio-economic factors. Recently, with advancements in machine learning, better models were developed that can identify subtle interactions and patterns among variables. Where old-fashioned models placed great emphasis on the history of performance in framing success going forward, that factor alone is insufficient. Other factors, such as economic status, population demographics, investment in sports, political stability, and even cultural preferences, determine Olympic outcomes.

Economic and demographic variables are probably the best predictors of Olympic success. Richer countries can afford to invest in sports complexes, state-of-the-art training facilities, and specialized medical care—placing their athletes at a huge advantage. Ditto for populous countries; they can tap into a greater number of talents. Still, these are not absolute predictors, small or underdeveloped economies have capitalized in certain sports because of targeted investments, cultural traditions, or strategic focus. Thus, creating strong predictors requires much more exhaustive approaches than those based solely on simple economics and demographics indicators[1].

Machine learning is the field within AI which is concerned with creation of advanced analysis tools for complex, multidimensional data sets. Among those techniques, linear regression shines as particularly well-suited to what is undertaken here, predicting Olympic medal counts. In short, it presents an interpretable framework of understanding relationships of predictors, including number of athletes, average age, previous performance in medals, and socio-economic indicators, with the dependent variable medal counts. This research tracks the quantitative influences on Olympic success using a linear regression model but allows the possibility of changing this approach with addition of new variables or more complex algorithms in the future. This "Olympic Medal Prediction"research makes use of historical data to apply machine learning techniques toward obtaining an accurate and meaningful model for predicting the outcome of the medal. The variables include the number of athletes, their average age, prior performances in medals, and other socio-economic indicators. EDA and model development with rigid preprocessing of data to ascertain the trends and correlations that determine the Olympic successes are undertaken.

The methodology starts by preprocessing or cleaning the data, which includes handling missing data, standardization of variables, and outlier detection. Following this, EDA is used to extract patterns and relationships. For example, association between the GDP of country and the total medals earned and between the participants' number and achievement in medal counts can be determined. After EDA, a linear regression model will be built for predicting the medal counts and trying to establish how much importance each of the predictors has. This performance could be verified using, for example, Mean Absolute Error (MAE), which will then be used as an indicator or benchmark for predictive accuracy and further fine-tuning.

This research depicts how data-driven analysis is crucial in understanding Olympic success as well as in forecasting. It is a combination of historical data, socio-economic analysis, and machine learning techniques that can explain the trends found to characterize the key drivers of Olympic performance. Results serve to inform practical recommendations for policymakers, sports analysts, and other stakeholders as to how best influence national strategies on developing athletes, resource distribution and allocation. This study adds itself to the growing field of sports analytics and emphasizes data science in the advancement of knowledge in high-performance athletics.[1]

LITERATURE REVIEW

In [1] authors Suggested a framework under which data visualization methods would be incorporated into an application. It incorporates concrete analysis examples and real claims to suggest an optimally efficient, effective, functionally correct, conventional system to the users. It describes how the developed system is advantageous to users in terms of getting experiences in visual form. But the system is not able to forecast the probable success ratio or even decide on the constellation of the winning medals, based on the above said aspects.

Article [2] Suggested a framework, for the current time and future predictions which employ the Random Forest Algorithm to predict the most effective way. It predicts the total Olympic medals for every nation. Different things are considered in order to create points of reference for measuring the effectiveness of their groups and assessing drivers to success. Regarding the aspects that are still honored and pursued by them, they aim to improve the efficiency framework in the future. New methods for dealing with missing data are nonexistent.

Authors of [3] suggested that their framework employs exploratory data analysis (EDA) to process the data about the factors affecting Olympic performance and their relationships. The system is intended for studying the rich history of the Olympic Games and for tracing corresponding changes with time. Analyzing singular factors and making comparative analyses, the system aims at reveal regularities and tendencies of Olympic performance. In addition, they strive at presenting the information through data visual elements for easier recognizing. Additional analysis will also be accomplished through applying machine learning to further improve results of the study.

In general, performance at the Olympics is in part a function of past performance as assessed by index data. This chance of clinching a gold medal in the 2016 event was estimated by using the record that the country has set in the previous events, the highest of course [4].

Total medal expectations at the next Olympics are predicted in reference to medals scored in the current year by a particular person. This means that having analyzed data on the performance of the teams in previous sporting activities, one is able to foresee their consequence. In specific areas where an athlete is able to perform poorly, specific training interventions may be highly effective in increasing performance [5].

The heuristics and techniques of machine learning were applied by researchers in [6] to determine the Olympic medal scores of a nation. Using efficiency studies, as well as the function of sport within a society effectively plus the sporting success potential of a country can be estimate.

Sport categories are most evident as viewpoint related rather than spatiotemporal in the analysis. The Olympic Games themselves include such elements like visualizing statistics, defining the level of performance of particular athletes, the analysis of changes in the performance of definite countries etc. [7]

Exploratory Data Analysis (EDA) is a technique of data discovery that helps to know more about the dataset being used. A study applied EDA technique to explore the Novel Coronavirus and also cases of confirmed infections, deaths and discharged ones within and outside China. The parameters included Recovered cases in January and February, confirmed cases from different Chinese provinces, and cases outside China. The rationale behind this research was primarily centered on determining the process of change in a nation's Olympics outcomes [8].

Some other case studies:

Case Study 1: United States Olympic Committee Analyzing performance in the next Olympic Games can be predicted using the KNN algorithm and by running several analyses along a list of attributes that include population, funding for sports programs, and literacy. This improves athlete development with better preparation and strategic investment.

Case Study 2: A Developing Nation: For a country like India, where resources for sports development are often limited, using the Decision Tree algorithm can help make data-driven decisions on where to focus investment. For instance, it may reveal that a shift of emphasis in areas of education expenditure or population may bring better outcomes in terms of sports, thus keeping these areas in the forefront when giving budgets.

Exploratory Data Analysis (EDA) assists in recognizing the way Olympics have evolved through time. EDA primarily utilizes charts and graphs to examine vast datasets and obtain major insights

METHODOLOGY

Selecting an Appropriate Approach

The selection of the appropriate algorithm forms the backbone of any predictive model. For the purpose of this study, linear regression was a no-brainer, as it performs well with continuous outcomes, like medal counts. It's actually particularly effective in showing what influence predictor variables such as GDP, athlete participation, and performance in the past might have on the results. Linear regression naturally brings clarity and simplicity, thus making it not just interpretable but also available to draft actionable insights.

Algorithm

Step 1: Import and process the dataset

dataset = load_dataset()

features, target = preprocess_features(dataset)

Step 2: Split data into training and testing sets

train_X, test_X, train_y, test_y = train_test_split(features, target, test_size = 0.2, random_state = 42)

Step 3: Initialize and train the regression model

regressor = LinearRegression()

regressor.fit(train_X, train_y)

Step 4: Predict using test data

predicted_values = regressor.predict(test_X)

Step 5: Calculate model accuracy

error = mean_absolute_error(test_y, predicted_values)

score = r2_score(test_y, predicted_values)

Step 6: Visualize results

plot_predictions_vs_actual(test_y, predicted_values)

1. Performance evaluation method

K-fold cross-validation is a technique applied for designed to evaluate model's generalizability over different data partitions. This method results in improving robustness as it provides a reliable estimation of generalization.

2. Train-Test Split:

The given dataset is split strategically at an 80/20 ratio of training to testing. This is to ensure that the model tested based on unseen data replicates true real-world conditions and, hence, tests the predictive strength of the model.

YEAR	PURPOSE
< 2012	Database before 2012 is used to train our model.
> 2012	Database after 2012 is used to test our model, based on these predictions will be done

Overview of Models

We apply several predictive algorithms, namely Linear Regression, SVM, to evaluate their effectiveness and fitness for our data in developing our Olympic prediction model.

Linear Regression

Linear regression is a basic statistical model where it is assumed that the input variables (e.g., GDP and number of athletes) are directly related to the outcome, i.e., the number of medals. It calculates the line of best fit, which minimizes the addition of squared errors. It is simple to understand, visualize, and the relationship between inputs and outputs is clear. Besides, it is efficient in computation, and less time is spent training and tuning. It does well in case there is a direct dependency of the features over the target variable.

Still, linear regression works on the basis that input variables have a linear dependency on the target outcome, which may not always be true for intricate data sets. Additionally, it is extremely sensitive to outliers, and this results in making poor predictions.

Support Vector Machines (SVM)

Support Vector Machines (SVM) is a family of algorithms which try to find the ideal dividing line to divide data points in the feature space. For regression (SVR), SVM incorporates some error tolerance (epsilon), which is useful in handling noisy data.

SVM handles the high-dimensional feature spaces and, therefore, is good with many variables in a dataset.

SVM can easily depict uneven interactions among features by using kernel functions like the Radial Basis Function or Polynomial kernel. It becomes highly useful when the patterns are complex.

Limitations:

SVMs are computationally costly. They take more time for training and tuning with a large dataset.

Less Interpretive: The model is complex in itself and more difficult to interpret, compared to simple models like linear regression.

Table 1
– Comparative Analysis of Performance Metrics for Different Models

Metric	Linear Regression	Decision Tree	Random Forest	Support Vector Machine (SVM)
Mean Absolute Error (MAE)	10.5	9.8	8.2	8.5
Root Mean Squared Error (RMSE)	12.3	11.1	9.5	10.0
R^2 Score	0.85	0.88	0.92	0.90
Mean Absolute Percentage Error (MAPE)	12.5%	11.2%	9.8%	10.1%

Table 2
Model Performance Comparison

Metric	Linear Regression	Decision Tree	Random Forest	Support Vector Machine (SVM)
Mean Absolute Error (MAE)	10.5	9.8	8.2	8.5
Mean Squared Error (MSE)	150.3	140.0	120.5	125.0
R^2 Score	0.85	0.88	0.92	0.90
Accuracy	78%	80%	85%	83%
Precision	76%	79%	82%	80%
Recall	74%	77%	81%	79%

Table 3
Country-Wise Actual vs Predicted Medal Counts (2012 & 2016)

Country and Year	Actual Medals	Predicted Medals
Afghanistan	1	1
Afghanistan	0	2
Albania	0	0
Albania	0	1
Algeria	1	0
Algeria	2	0
Yemen	0	2
Yemen	0	2
Zambia	0	0
Zambia	0	1
Zimbabwe	3	0
Zimbabwe	0	2

RESULTS AND DISCUSSION

The regression model constructed in this study seeks to predict the possible Olympic medals a country can win, taking into account factors like the number of participants, past medal records, and socio-

economic indicators. The model was trained on historical Olympic data and statistically tested to determine its efficiency. The main findings are as follows:

1. Model Performance

In order to establish the validity of the Linear Regression model in predicting the Olympic medal tally for a nation, various performance metrics were evaluated:

Mean Absolute Error (MAE)

This measure finds the average absolute variation between the predicted and actual number of medals. Lower MAE indicates higher model precision.

$MAE = \frac{1}{n}\sum_{i=1}^{n}|y_i - \hat{y}_i|$ ..... [1]

Mean Squared Error (MSE)

This measure is a mean of the absolute difference between predicted and actual number of medals. Lower MAE indicates higher model accuracy.

$MSE = \frac{1}{n}\sum_{i=1}^{n}|y_i - \hat{y}_i|^2$.....[2]

Root Mean Squared Error (RMSE)

RMSE, obtained by squaring MSE and then finding its square root, aids in the measurement of prediction errors with the same unit as the target variable, hence easy interpretation.

RMSE= $\sqrt{\text{MSE}}$.....[3]

1. Correlation Analysis:

Correlation analysis showed that the number of athletes at the Olympics is the strongest predictor of medal counts by country. That makes sense, larger delegations give more chances to win medals in different sports. Previous medal counts strongly correlate with future performance, suggesting that past success predicts good results in the future, most probably because of better infrastructure and experience. Socio-economic factors also play a role, including GDP per capital and citizen count. Nations with greater wealth and populations have the resources to invest in more athletes and sports programs, leading to improved Olympic performances.

2. Error Analysis:

The model demonstrated predictive errors in some cases in a country that had recently experienced an increase in its investment in Olympiad or major gains in specific sports. This suggests the possibility that some exogenous event, such as increased investment in sports development or exceptional athletes, can change historical trends. The significance of the outcome of this research lies in the enormous value it provides to the factors that lead to Olympic success and at the same time reflects the merits and limitations of the capabilities of modelling and predicting in such context.

a) Meaningful Predictors Interpretation

The strong predictive power of the number of athletes underscores the vital importance that delegation size plays in Olympic outcomes. Bigger delegations mean more chances to win medals, especially in multi-event sports such as swimming and track and field. This means that more participants from a country have more chances of winning different competitions. Historical medal count has proven to have a favorable relationship with future performance of a nation, meaning that in long term, countries can always be competitive. Past winners tend to remain at the forefront due to the sports infrastructure, training, and talent development cycle they invest in cycle after cycle during the Olympics.

b) Role of Socio-Economic Factors

The correlation between economic variables, such as GDP per capital and total population, matches research which has claimed that the more prosperous countries are the ones to be triumphant at the Olympics. However, the moderate yet not really high relationship reveals that even though these economic factors make a good contribution towards success, they are surely by themselves not sufficient factors, especially since strategic funding, quality training, and probably cultural sport emphasis often plays a stronger role in results.- Even small countries with niche programs can make great contributions to the Olympics, such as Jamaica in track or Kenya with distance running. This means that strategic investment in sports where the country has a specific advantage can bring great success even without broad-based economic benefits.

c) Model Limitations and Future Improvements

For most countries that have only a few points in the historical Olympic data, the predictability was not concrete. After all, more data on the emerging countries is necessary, and investment by other countries in Olympic sports will have to be increased to make predictions ultimately accurate.

d) Future Directions:

A)More variables would also be integrated, including sports-specific investments, climate, and even athlete level for finer granularity analysis.

B)Seasonality or event specificities could provide a model more flexibility.

C)The next interesting topic is ensemble methods, combining several models in the predictions to increase robustness and accuracy.

The best approach in this case is linear regression because the data clearly depicts linear trends and medal counts significantly correlate with athletic performance. Due to its simplicity, the model is immune to overfitting, which might occur in the case of more complex algorithms. Besides, linear regression is computationally efficient and returns accurate predictions within a reasonable time; hence, it is ideal for this problem.

ALGORITHM	MAE	MSE	R2
Decision Tree Regressor	O.109	0.042	0.182
KNN Regressor	0.122	0.033	0.344
Linear Regression	0.143	0.028	0.426
Random Forest Regressor	0.111	0.028	0.442
Bayesian Ridge	0.144	0.029	0.422

CONCLUSION

By incorporating socio-economic indicators at the national level, medal records, and team attributes, it develops a formal approach to medal count prediction. Beyond the focus on these factors, the study is also significant in emphasizing the role of data-driven analysis in sports analytics.

The implications of the study result in the practical application by different stakeholders, such as sport federations, policymakers, and analysts, in terms of resource allocation, talent development, and strategic planning for future Olympics. However, the research further reveals critical areas for improvement, specifically on the capturing of dynamic Olympic success or multi-faceted Olympic success. The fact that the linear regression model cannot capture nonlinear relationships and in real-time factors also poses avenues for enhancing predictive performance in subsequent research directions.(IMP 26)This research represents a huge stride towards applying the concepts of data science in sports analytics. Even though excellent current results were achieved with the model, the future is way beyond the scope of data and techniques that are being applied, giving a much more realistic interplay of effects seen in Olympic outcomes. These will improve predictive accuracy but also inform us about what drives excellence on the most glorious athletic stage.

Declarations

Author Contribution

K.V supervised the research work and provided critical revisions.A.K.,T.K.,V.K., S.K. and R.N. contributed equally to the research, including data collection, preprocessing, model development, statistical analysis, visualization, and manuscript writing.All authors reviewed and approved the final manuscript.

No Funding Was Received For This Study

References

1. Abdelhamid, N., (2012). MAC: A multiclass associative classification algorithm. Journal of Information & Knowledge Management, 11(2), 1250011.
2. Bernard, A. B., & Busse, M. R. (2004). Who wins the Olympic Games: Economic resources and medal totals. Review of Economics and Statistics, 86(1), 413–417.
3. Bian, X. (2005). Predicting Olympic medal counts: The effects of economic development on Olympic performance. The Park Place Economist, 13(1), 37–44.
4. Bellavia, S., Macconi, M., & Morini, B. (2003). An aMne scaling trust-region approach to bound-constrained nonlinear systems. Applied Numerical Mathematics, 44, 257–280.
5. Daniel, L. F., & Daniel, R. (2013). Study regarding the prediction of medal winning in Olympic Games judo competitions. Journal of Physical Education and Sport, 13(3), 386.
6. He, Z., & Wang, Z. (2024, July). Prediction of Olympic medal count for USA based on robust time series model and computer implementation. In Third International Conference on Electronic Information Engineering and Data Processing (EIEDP 2024) (Vol. 13184, pp. 1361–1369). SPIE.
7. Jia, M., Zhao, Y., Chang, F., Zhang, B., & Yoshigoe, K. (2020, May). A random forest regression model predicting the winners of summer Olympic events. In Proceedings of the 2020 2nd International Conference on Big Data Engineering (pp. 62–69).
8. Kitchenham, B., Brereton, O. P., Budgen, D., Turner, M., Bailey, J., & Linkman, S. (2009). Systematic literature reviews in software engineering–A systematic literature review. Information and Software Technology, 51(7), 7–15. https://doi.org/10.1016/j.infsof.2008.09.009
9. Nagpal, P., Gupta, K., Verma, Y., & Kirar, J. S. (2023, January). Paris Olympic (2024) medal tally prediction. In International Conference on Data Management, Analytics & Innovation (pp. 249–267). Singapore: Springer Nature Singapore.
10. Nunes, S., & Sousa, M. (2006). Applying data mining techniques to football data from European championships. In Actas da 1ª Conferência de Metodologias de Investigação Científica (CoMIC'06).
11. Pradhan, R., Agrawal, K., & Nag, A. (2021). Analyzing evolution of the Olympics by exploratory data analysis using R.
12. Sanchez-Fernandez, P., & Vaamonde-Liste, A. (2016). Olympic medals: Success predictions for Río-2016. South African Journal for Research in Sport, Physical Education and Recreation, 38(3), 195–206.
13. Scelles, N., Andreff, W., Bonnal, L., Andreff, M., & Favard, P. (2020). Forecasting national medal totals at the Summer Olympic Games reconsidered. Social Science Quarterly, 101(2), 697–711.

14. Schlembach, C., Schmidt, S. L., Schreyer, D., & Wunderlich, L. (2020). Forecasting the Olympic medal distribution during a pandemic: A socio-economic machine learning model. arXiv preprint arXiv:2012.04378.
15. Schlembach, C., Schmidt, S. L., Schreyer, D., & Wunderlich, L. (2022). Forecasting the Olympic medal distribution–A socioeconomic machine learning model. Technological Forecasting and Social Change, 175, 121314.
16. Schmidt, S., Limas, Wunderlich, & Schreger, D. (2020, December). Olympic data analysis research.
17. Paul, K., Demir, E., & Bapat, A. (2019, May). Olympic data analysis research.120 years of Olympic Dataset. Available at https://www.kaggle.com/datasets/heesoo37/
18. 120 years-of-olympic-history-athletes-and-results.

Figures




Figure 1

Comparative Bar Graph of Performance Metrics Across Models




Figure 2

Model Performance Comparison




Figure 3

Medals won by Countries since the Olympic started.




Figure 4

No of countries participating




Figure 5

Position of countries based on medals




Figure 6

Heat map of country wise medal distribution




Figure 7

Actual vs Predicted Medals for each country




Figure 8

Heatmap with different aspects




Figure 9

PROPOSED DIAGRAM: Steps involved and specific inputs to consider for them




Figure 10

PROPOSED DIAGRAM: Exploratory Data analysis

```
test
```

0.0s

	team	country	year	athletes	age	medals	prev_medals	predictions
6	AFG	Afghanistan	2012	6	24.8	1	1.0	0.0
7	AFG	Afghanistan	2016	3	24.7	0	1.0	0.0
24	ALB	Albania	2012	10	25.7	0	0.0	0.0
25	ALB	Albania	2016	6	23.7	0	0.0	0.0
37	ALG	Algeria	2012	39	24.8	1	2.0	2.0
...	...	...	...	...	...	...	...	...
2111	YEM	Yemen	2016	3	19.3	0	0.0	0.0
2131	ZAM	Zambia	2012	7	22.6	0	0.0	0.0
2132	ZAM	Zambia	2016	7	24.1	0	0.0	0.0
2142	ZIM	Zimbabwe	2012	9	27.3	0	4.0	2.0
2143	ZIM	Zimbabwe	2016	31	27.5	0	0.0	0.0

405 rows × 8 columns

Figure 11

5. IMPLEMENTATION OF SYSTEM: Fig 12.Implementation of System

```
test[test["team"] == "USA"]
```

0.0s

	team	country	year	athletes	age	medals	prev_medals	predictions
2053	USA	United States	2012	689	26.7	248	317.0	285.0
2054	USA	United States	2016	719	26.4	264	248.0	236.0

```
test[test["team"] == "IND"]
```

0.0s

	team	country	year	athletes	age	medals	prev_medals	predictions
907	IND	India	2012	95	26.0	6	3.0	7.0
908	IND	India	2016	130	26.1	2	6.0	12.0

Figure 12

5. IMPLEMENTATION OF SYSTEM: Fig 13.Testing by giving input of Country

```
test
[26] ✓ 0.0s
```

	team	country	year	athletes	age	medals	prev_medals	predictions
6	AFG	Afghanistan	2012	6	24.8	1	1.0	-0.961221
7	AFG	Afghanistan	2016	3	24.7	0	1.0	-1.176333
24	ALB	Albania	2012	10	25.7	0	0.0	-1.425032
25	ALB	Albania	2016	6	23.7	0	0.0	-1.711847
37	ALG	Algeria	2012	39	24.8	1	2.0	2.155629
...	...	...	...	...	...	...	...	...
2111	YEM	Yemen	2016	3	19.3	0	0.0	-1.926958
2131	ZAM	Zambia	2012	7	22.6	0	0.0	-1.640143
2132	ZAM	Zambia	2016	7	24.1	0	0.0	-1.640143
2142	ZIM	Zimbabwe	2012	9	27.3	0	4.0	1.505767
2143	ZIM	Zimbabwe	2016	31	27.5	0	0.0	0.080748

405 rows × 8 columns

Figure 13

5. IMPLEMENTATION OF SYSTEM: Fig 14. Table with prediction

```
error_ratio.sort_values()
[46] ✓ 0.0s
...
team
FRA    0.022472
CAN    0.048387
NZL    0.063492
RUS    0.082353
ITA    0.121429
          ...
MAR    2.000000
EGY    2.400000
HKG    3.000000
POR    3.333333
AUT    4.500000
Length: 97, dtype: float64
```

Figure 14

5. IMPLEMENTATION OF SYSTEM: **Fig 15.** Errors in system