Vidhyayana - ISSN 2454-8596
An International Multidisciplinary Peer-Reviewed E-Journal
www.vidhyayanaejournal.org
Indexed in: Crossref, ROAD & Google Scholar

21

Towards Precision Agriculture: Deep Learning-Based Plant Disease Identification

Rajashri Nitin Gaikwad

Research Scholar, Department of Computer Science and

Applications, Department of Computer Science and

Applications, Pune, India.

Gopal Sakarkar

Associate Professor, Dr. Vishwanath Karad MIT World Peace

University, Dr. Vishwanath Karad MIT World Peace University,

Pune, India.

Abstract

Existing plant disease identification models encounter several limitations, primarily due to their inability to effectively capture the complex relationships within multifaceted plant images. Traditional deep learning methods often struggle to accurately detect diseases across various plant components, resulting in suboptimal performance. Additionally, most existing models focus on specific plant parts, such as leaves, rather than considering multiple components—such as leaves, stems, fruits, and roots for a more comprehensive diagnosis. Another major limitation is the absence of dynamic parameter optimization in conventional models, which reduces their adaptability for real-time applications. Furthermore, current approaches do not effectively account for the continuous evolution of plant diseases, making them less reliable for practical agricultural use.

Vidhyayana - ISSN 2454-8596
An International Multidisciplinary Peer-Reviewed E-Journal
www.vidhyayanaejournal.org
Indexed in: Crossref, ROAD & Google Scholar

To overcome these challenges, this research introduces two advanced deep learning-based models: the Multivariate Normal Deep Learning Neural Network (MNDLNN). These models enhance disease identification accuracy, sensitivity, and specificity by leveraging sophisticated learning techniques. The MNDLNN classifier improves disease detection by analysing multiple plant components, ensuring a more holistic approach. Meanwhile, the MPO Adapted Deep NN enhances precision through continuous learning capabilities, enabling more accurate disease identification. A key innovation of this study is the integration of the Modified Political Optimization (MPO) algorithm, which dynamically fine-tunes classifier parameters to optimize performance. These findings mark a significant advancement in plant pathology, providing a highly accurate and adaptable framework for real-time agricultural disease monitoring.

Keyword: MNDLNN, Deep Learning, Agriculture, Plant Disease

I. Introduction

In recent years, image processing has advanced significantly, playing a crucial role across various industries, including agriculture. A key application in agriculture involves detecting and diagnosing plant diseases by analysing different plant parts, such as leaves, roots, and stems. [4]. This discussion highlights the significance of image processing in plant disease management and explores the diverse techniques used for disease detection.[5]

Approximately 70% of India's population depends on agriculture for their livelihood. However, since 2010, crop production has been on the decline due to several factors, including unfavourable weather conditions, plant diseases, rodent infestations, improper fertilizer application, and reduced soil fertility [8]. Given agriculture's pivotal role in India's economy, there is an urgent need to improve and modernize farming practices. [15] To facilitate better data collection, sensors are strategically placed in crop fields and grain storage facilities to monitor crucial parameters such as humidity, temperature, and soil moisture levels.

Image processing techniques have become essential in modern agriculture, utilizing mathematical and computational algorithms to analyze images. These methods support tasks such as image classification, pattern recognition, and feature extraction. Techniques like

Vidhyayana - ISSN 2454-8596
An International Multidisciplinary Peer-Reviewed E-Journal
www.vidhyayanaejournal.org
Indexed in: Crossref, ROAD & Google Scholar

Fourier transformation and filtering methods help detect plant diseases and rodent infestations in crops. Additionally, various machine learning approaches, including Support Vector Machine (SVM), Naïve Bayes (NB), Decision Tree (DT), K-Nearest Neighbour (KNN), Random Forest (RF), SVM Regression, and Logistic Regression, have been applied to enhance plant disease identification.

Plant diseases affect different parts of a plant, leading to significant reductions in crop health and yield. Leaf diseases, such as powdery mildew and rust, hinder photosynthesis, whereas root infections, including root rot and nematode infestations, disrupt nutrient absorption, causing plants to wilt. Additionally, stem diseases like Canker and Bacterial Wilt weaken structural integrity, leading to lesions and plant dieback. To effectively combat these issues, a targeted approach to diagnosis and disease management is essential. A thorough understanding of leaf, root, and stem diseases is crucial for developing effective agricultural strategies that enhance crop health and productivity [21].

Leaf diseases in plants include various pathological conditions triggered by fungi, bacteria, and viruses. These diseases typically present as visible abnormalities on the leaves, negatively affecting plant health and overall growth [16]. Powdery mildew, a widespread fungal infection, appears as a white powdery coating on leaf surfaces, disrupting the photosynthesis process. Similarly, leaf spot diseases, caused by different pathogens, lead to the formation of dark spots on leaves, weakening their structural integrity and overall function.

Root diseases in plants consist of various pathogenic conditions that impact underground structures essential for nutrient uptake and overall plant well-being. A prevalent example is root rot, a fungal infection that causes root tissue decay, often worsening due to excessive moisture. Another significant disease is clubroot, triggered by a pathogenic protist, which leads to swollen, deformed roots, primarily affecting cruciferous plants.

II Methodology

This study explores the use of the MPO Adapted Deep Neural Network (NN) classifier for early plant disease detection, with the goal of minimizing its adverse effects. The process starts

with gathering standardized data from the PlantVillage dataset, online sources, and images captured via camera. These images then undergo preprocessing to eliminate noise and unwanted artifacts.

To precisely identify disease-affected regions, the Adaptive K-Means algorithm is used for segmentation. Next, key features essential for disease classification are extracted, including Grey Level Co-occurrence Matrix (GLCM) attributes such as entropy, homogeneity, contrast, correlation, and energy.[1][7] These extracted features are then integrated and processed by the MPO Adapted Deep Neural Network, which utilizes its learning capabilities to accurately detect plant diseases.

A key aspect of this study is the optimization of the Deep NN classifier through the MPO algorithm, which fine-tunes parameters such as weights and biases to improve accuracy.[24] This optimization process plays a crucial role in enhancing the model's performance by determining the best possible solution for disease identification. Additionally, this research incorporates the transfer learning approach, which leverages pre-trained models to further refine detection accuracy.

A. Image Analysis

Image analysis involves the extraction of valuable information from digital images. The process encompasses various stages, starting with image acquisition and preprocessing to enhance image quality. Feature extraction identifies relevant aspects like color, texture, and shapes, while segmentation divides the image into distinct regions. Table 1.1 presents the image analysis results for the proposed RKMC segmentation algorithm.[12] The analysis reveals the effective segmentation of unhealthy regions from leaves, fruits, stems, and roots by the RKMC algorithm. Consequently, a thorough examination of the concealed areas within infected regions accurately studies the crucial information. As a result, the proposed RKMC not only produces more fitting segmented images but also improves the accuracy of disease detection.
Table 4.1: Image Analysis of the proposed RKMC segmentation algorithm Caption Disease

Vidhyayana - ISSN 2454-8596
An International Multidisciplinary Peer-Reviewed E-Journal
www.vidhyayanaejournal.org
Indexed in: Crossref, ROAD & Google Scholar

Table 1.1: Image Analysis of the proposed

Part	Disease Type	Input Image
Leaf	Bacterial Blight	
Leaf	Caterpillar	
Leaf	*Diabrotica Speciosa*	
Stem	Healthy	
Stem	*Sclerotinia* Stem Rot	
Root	Healthy	

Vidhyayana - ISSN 2454-8596
An International Multidisciplinary Peer-Reviewed E-Journal
www.vidhyayanaejournal.org
Indexed in: Crossref, ROAD & Google Scholar

Root	*Rhizoctonia* Root	

III. Conclusion

This comprehensive study highlights the significant impact of the MPO Adapted Deep NN in the field of plant disease detection. [9] The limitations of existing models emphasized the necessity for an innovative approach, leading to the development and implementation of this advanced model. [5] With its continuous learning capability and the strategic optimization provided by the Modified Political Optimization (MPO) algorithm, the proposed model effectively addresses challenges that conventional methods struggle to overcome. The research findings confirm the superior accuracy and performance of the MPO Adapted Deep NN, establishing it as a highly efficient tool for precise and reliable plant disease identification.

IV. Future work

The study can be conducted using different classifiers, and alongside disease detection, appropriate remedies will also be suggested.

Scaling the model across diverse crops and environments stands as a critical avenue, ensuring its adaptability to the intricacies of various agricultural settings.

Exploring the incorporation with IoT can help to notify about disease prediction in early stage.

References

[1] Xu, Nan, "Image Processing Technology in Agriculture," In Journal of Physics: Conference Series, vol. 1881, no. 3, p. 032097. IOP Publishing, 2021.

[2] Mahlein, Anne-Katrin, "Plant disease detection by imaging sensors–parallels and specific demands for precision agriculture and plant phenotyping," Plant disease 100, no. 2 (2016): 241-251.

[3] Sishodia, Rajendra P., Ram L. Ray, and Sudhir K. Singh, "Applications of remote sensing in precision agriculture: A review," Remote Sensing 12, no. 19 (2020): 3136.

[4] Siddiquee, Kazy Noor-e-Alam, Md Shabiul Islam, Ninni Singh, Vinit Kumar Gunjan, Wong Hin Yong, Mohammad Nurul Huda, and DS Bhupal Naik. "Development of algorithms for an iot-based smart agriculture monitoring system," Wireless Communications and Mobile Computing 2022 (2022): 1-16.

[5] Latif, Muhammad Rizwan, Muhamamd Attique Khan, Muhammad Younus Javed, Haris Masood, Usman Tariq, Yunyoung Nam, and Seifedine Kadry, "Cotton Leaf Diseases Recognition Using Deep Learning and Genetic Algorithm," Computers, Materials & Continua 69, no. 3 (2021).

[6] Khanal, Sami, Kushal Kc, John P. Fulton, Scott Shearer, and Erdal Ozkan. "Remote sensing in agriculture—accomplishments, limitations, and opportunities" Remote Sensing 12, no. 22 (2020): 3783.

[7] Georgis G, Lentaris G, Reisis D, "Acceleration techniques and evaluation on multi-core CPU, GPU and FPGA for image processing and super-resolution," Journal of Real-Time Image Processing, 2019, 16(4):1207-1234.

[8] Wei X, Yang Z, Liu Y, "Railway track fastener defect detection based on image processing and deep learning techniques: A comparative study," Engineering Applications of Artificial Intelligence, 2019, 80(APR.):66-81.

[9] Crost B, Duquennois C, Felter J H, "Climate Change, Agricultural Production and Civil Conflict: Evidence from the Philippines," Journal of Environmental Economics & Management, 2018, 88(MAR.):379-395.

[10] Wiseman G, Mcnairn H, Homayouni S, "RADARSAT-2 Polarimetric SAR Response to Crop Biomass for Agricultural Production Monitoring," IEEE Journal of Selected Topics in Applied Earth Observations & Remote Sensing, 2017, 7(11):4461-4471.

[11] Goel, Lavika, and Jyoti Nagpal. "A Systematic review of recent machine learning techniques for plant disease identification and classification," IETE Technical Review 40, no. 3 (2023): 423-439.

[12] Latif, Muhammad Rizwan, Muhamamd Attique Khan, Muhammad Younus Javed, Haris Masood, Usman Tariq, Yunyoung Nam, and Seifedine Kadry, "Cotton Leaf Diseases Recognition Using Deep Learning and Genetic Algorithm," Computers, Materials & Continua 69, no. 3 (2021).

[13] Jackulin, C., and S. Murugavalli. "A comprehensive review on detection of plant disease using machine learning and deep learning approaches," Measurement: Sensors (2022): 100441.

[14] Jackulin, C., and S. Murugavalli. "A comprehensive review on detection of plant disease using machine learning and deep learning approaches," Measurement: Sensors (2022): 100441.

[15] Patil, Rutuja Rajendra, and Sumit Kumar. "A Bibliometric Survey on the Diagnosis of Plant Leaf Diseases using Artifificial Intelligence," Library Philosophy and Practice (2020): 1-26.

[16] Jasim, Marwan Adnan, and Jamal Mustafa Al-Tuwaijari, "Plant leaf diseases detection and classification using image processing and deep learning techniques," In 2020 International Conference on Computer Science and Software Engineering (CSASE), pp. 259-265. IEEE, 2020

[17] Lu, Jinzhu, Lijuan Tan, and Huanyu Jiang. "Review on convolutional neural network (CNN) applied to plant leaf disease classification," Agriculture 11, no. 8 (2021): 707.

[18] Pascale, Alberto, Silvia Proietti, Iakovos S. Pantelides, and Ioannis A. Stringlis, "Modulation of the root microbiome by plant molecules: the basis for targeted disease suppression and plant growth promotion," Frontiers in plant science 10 (2020): 1741.

[19] Plant Disease Detection using Deep Learning Murk Chohan, Adil Khan, Rozina Chohan, Saif Hassan Katpar, Muhammad Saleem Mahar, IJRTE May 2020 ISSN: 2277-3878,

[20] Plant Disease Detection using Deep Learning Murk Chohan, Adil Khan, Rozina Chohan, Saif Hassan Katpar, Muhammad Saleem Mahar, IJRTE May 2020 ISSN: 2277-3878,

[21] Plant Disease Detection Using Deep Learning S. Shreya *1, P. Likitha*2, G. Saicharan*3, Dr. Shruti Bhargava Choubey*4, IJCRT May 2023 | ISSN: 2320-2882

[22] Plant Disease Detection and Classification: A Systematic Literature Review Ramanjot 1, Usha Mittal 1, Ankita Wadhawan 1, Jimmy Singla 2, N.Z Jhanjhi 3, *, Rania M. Ghoniem 4, Sayan Kumar Ray 3 and Abdelzahir Abdelmaboud 5, MDPI May 2023,

[23] A comprehensive review on detection of plant disease using machine learning and deep learning approaches C Jackulin *, S. Murugavalli, August 2022 doi 100441

[24] Disease detection and classification in pomegranate fruit using hybrid convolutional neural network with honey badger optimization algorithm Sameera P & Abhay A Deshpande, Jun 2024. doi.org/10.1080/10942912.2024.2365927